

FIG. 1

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		




FIG. 2




FIG. 3




FIG. 4

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		




FIG. 5




FIG. 6

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		




FIG. 7




FIG. 8





FIG. 9



$\frac{\text{BIT}}{\text{OCTET}}$	8	7	6	5	4	3	2	1
1	RE-SERVED	0	0	0	1	0	0	1
2	MESSAGE TYPE							
3	LCCH INTERVAL VALUE							
4	TERMINATION GROUPING FACTOR				PAGING AREA NO.			
5	BASE STATION LOCATION INFORMATION							
6	BASE STATION LOCATION INFORMATION							
7	BASE STATION LOCATION INFORMATION							
8	BASE STATION LOCATION INFORMATION							




FIG. 11

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTMAN		




FIG. 12




FIG. 13




FIG. 14




FIG. 15
PRIOR ART

APPROVED	C.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		




FIG. 16
PRIOR ART